


南相馬 改良後「コーンα」BPによる線量総括表

経過日数	試験前	7月6日	7月14日	7月29日	8月31日	9月29日	11月2日	11月29日	12月21日	1月25日	2月25日	3月30日	4月27日	5月25日	6月28日	H30.6.27	R1.6.25
種別	0日目線量 μSv/h	7日目線量 μSv/h	15日目線量 μSv/h	30日目線量 μSv/h	61日目線量 μSv/h	90日目線量 μSv/h	127日目線量 μSv/h	154日目線量 μSv/h	174日目線量 μSv/h	209日目線量 μSv/h	240日目線量 μSv/h	273日目線量 μSv/h	301日目線量 μSv/h	329日目線量 μSv/h	364日目線量 μSv/h	722日目線量 μSv/h	1,081日目線量 μSv/h
エリア空間線量平均	0.216	0.333	0.284	0.489	0.335	0.421	0.430	0.390	0.364	0.305	0.353	0.307	0.285	0.324	0.285	0.282	0.221
改良A工区 改良箇所平均 α300gBP30g 定点変化	0.716	0.541	0.565	0.544	0.542	0.524	0.516	0.499	0.491	0.488	0.487	0.459	0.462	0.432	0.435	0.391	0.372
改良B工区 改良箇所平均 α300gBP30g 定点変化	1.061	0.582	0.611	0.613	0.517	0.514	0.516	0.478	0.459	0.441	0.445	0.436	0.426	0.417	0.437	0.367	0.321
GL+0.01m測定 目標値 0.23μ	天候:曇り	天候:曇り	天候:曇り	天候:晴れ	天候:晴れ	天候:雨天	天候:晴れ	天候:晴れ	天候:晴れ	天候:晴れ	天候:晴れ	天候:晴れ	天候:晴れ	天候:晴れ	天候:晴れ	天候:曇り雨	天候:晴れ

南相馬「コーンα」BPによる改良後線量変化（測定平均値）



令和1年6月25日

1,081日目線量

測定記録写真

A工区

空間線量GL+1 m

0.229

0.208-0.252 $\mu\text{sv/h}$

0.242

0.252

0.243

0.208



$(0.229+0.242+0.252+0.243+0.208)/5$

0.235 $\mu\text{sv/h}$

未改良	No.a	土地盤
-----	------	-----



0.303

0.303-0.403 $\mu\text{sv/h}$

0.357

0.403

0.391



未改良	No.b	土地盤
-----	------	-----



0.353

0.323-0.353 $\mu\text{sv/h}$

0.33

0.333

0.323



未改良	No.c	碎石地盤
-----	------	------



0.453

0.453-0.562 $\mu\text{sv/h}$

0.527

0.562

0.553



未改良	No.d	土地盤
-----	------	-----



0.186

0.168-0.216 $\mu\text{sv/h}$

0.216

0.169

0.168



未改良	No.e	土地盤
-----	------	-----



0.165

0.157-0.206 $\mu\text{sv/h}$

0.206

0.167

0.157



未改良	No.f	土地盤
-----	------	-----

0.627-0.738 μ sv/h



0.627



0.694



0.738



0.71



未改良	No.g	土地盤
-----	------	-----

0.447-0.570 μ sv/h



0.531



0.57



0.478



0.447



未改良	No.h	アスコン道路
-----	------	--------

0.188-0.199 μ sv/h



0.195



0.188



0.199



0.191



未改良	No.i	アスコン苔
-----	------	-------

0.219-0.353 μ sv/h



0.288



0.353



0.247



0.219



未改良	No.j	畦
-----	------	---

0.338-0.352 μ sv/h



0.341



0.352



0.342



0.338



未改良	No.k	アスコンラック
-----	------	---------

0.535-0.550 μ sv/h



0.537



0.55



0.542



0.535



未改良	No.L	碎石道路
-----	------	------



0.169-0.281 $\mu\text{sv/h}$

0.196



0.281



0.173



0.169



改良	No.1
----	------



0.167-0.185 $\mu\text{sv/h}$

0.18



0.185



0.171



0.167



改良	No.2
----	------



0.235-0.243 $\mu\text{sv/h}$

0.235



0.239



0.243



0.242



改良	No.3
----	------



0.507-0.539 $\mu\text{sv/h}$

0.507



0.525



0.539



0.528



改良	No.4
----	------



0.518-0.545 $\mu\text{sv/h}$

0.518



0.537



0.545



0.543



改良	No.5
----	------



0.460-0.480 $\mu\text{sv/h}$

0.48



0.464



0.46



0.474



改良	No.6
----	------



0.201-0.207 μ sv/h

0.206



0.201



0.207



0.205



改良	No.7
----	------



0.226-0.265 μ sv/h

0.226



0.241



0.265



0.253



改良	No.8
----	------



0.440-0.524 μ sv/h

0.44



0.485



0.524



0.522



改良	No.9
----	------



0.371-0.400 μ sv/h

0.376



0.4



0.377



0.371



改良	No.10
----	-------



0.442-0.567 μ sv/h

0.442



0.478



0.567



0.518



改良	No.11
----	-------



0.140-0.159 μ sv/h

0.159



0.144



0.14



0.142



改良	No.12
----	-------



0.200-0.264 μ sv/h

0.209



0.233



0.264



0.25



改良	No.13
----	-------



0.330-0.414 μ sv/h

0.33



0.365



0.414



0.387



改良	No.14
----	-------



0.409-0.432 μ sv/h

0.409



0.419



0.432



0.422



改良	No.15
----	-------



0.312-0.357 μ sv/h

0.357



0.321



0.312



0.316



令和1年6月25日
1,081日3年目線量

測定記録写真

B工区

空間線量GL+1m
0.2

0.188-0.224 $\mu\text{sv/h}$
0.224

0.207 $\mu\text{sv/h}$
0.215

0.208

0.188



B工区

未改良	No.a	土地盤
-----	------	-----

0.228

0.26

0.210-0.260 $\mu\text{sv/h}$
0.217

0.21



No.b	碎石舗装
------	------

0.179

0.184

0.181-0.214 $\mu\text{sv/h}$
0.171

0.165



未改良	No.c	土法地盤
-----	------	------

0.433

0.469

0.433-0.541 $\mu\text{sv/h}$
0.541

0.497



未改良	No.c'	土地盤
-----	-------	-----

0.487

0.511

0.487-0.511 $\mu\text{sv/h}$
0.505

0.509



未改良	No.d	土地盤
-----	------	-----

0.76

0.822

0.760-0.822 $\mu\text{sv/h}$
0.817

0.814



未改良	No.e	土地盤
-----	------	-----

0.534

0.529

0.529-0.553 $\mu\text{sv/h}$

0.541

0.553



未改良	No.f	土地盤
-----	------	-----

0.56

0.576

0.557-0.576 $\mu\text{sv/h}$

0.557

0.561



未改良	No.g	碎石道路
-----	------	------

0.138

0.118

0.101-0.138 $\mu\text{sv/h}$

0.101

0.103



改良	No.1	
----	------	--

0.38

0.357

0.345-0.380 $\mu\text{sv/h}$

0.345

0.371



改良	No.2	
----	------	--

0.354

0.36

0.354-0.364 $\mu\text{sv/h}$

0.364

0.358



改良	No.3	
----	------	--

0.17

0.181

0.170-0.181 $\mu\text{sv/h}$

0.179

0.171



改良	No.4
----	------

0.216-0.318 $\mu\text{sv/h}$

0.216

0.246

0.318

0.28



改良	No.5
----	------

0.337-0.343 $\mu\text{sv/h}$

0.337

0.342

0.343

0.338



改良	No.6
----	------

0.327-0.338 $\mu\text{sv/h}$

0.335

0.327

0.338

0.33



改良後「コーンα」BPによる線量総括表

経過日数 種別	試験前 0日目線量 μsv/h	H28.7.14 15日目線量 μsv/h	H28.7.29 30日目線量 μsv/h	H28.8.31 91日目線量 μsv/h	H28.9.29 90日目線量 μsv/h	H28.11.2 127日目線量 μsv/h	H28.11.29 154日目線量 μsv/h	H28.12.21 174日目線量 μsv/h	H29.1.25 209日目線量 μsv/h	H29.2.25 240日目線量 μsv/h	H29.3.30 273日目線量 μsv/h	H29.4.27 301日目線量 μsv/h	H29.5.25 329日目線量 μsv/h	H29.6.28 364日目線量 μsv/h	H30.6.27 722日目線量 μsv/h	R1.6.25 1,081日目線量 μsv/h
エリア空間線量平均	0.216	0.284	0.489	0.335	0.421	0.430	0.390	0.364	0.305	0.353	0.307	0.285	0.324	0.285	0.282	0.221
改良A工区 未改良箇所平均 α0gBP0g 定点変化	0.716	0.44	0.442	0.443	0.455	0.472	0.457	0.51	0.464	0.513	0.514	0.478	0.478	0.503	0.471	0.399
改良A工区 改良箇所平均 α300gBP30g 定点変化	0.716	0.565	0.544	0.542	0.524	0.516	0.499	0.491	0.488	0.487	0.459	0.462	0.432	0.435	0.391	0.372
改良B工区 未改良箇所平均 α0gBP0g 定点変化	1.061	0.589	0.569	0.497	0.519	0.604	0.644	0.671	0.565	0.597	0.579	0.551	0.551	0.528	0.514	0.542
改良B工区 改良箇所平均 α300gBP30g 定点変化	1.061	0.611	0.613	0.517	0.514	0.516	0.478	0.459	0.441	0.445	0.436	0.426	0.417	0.437	0.367	0.321
GL+0.01m測定 目標線量値 0.23μSv/h	天候:曇り 天候:曇り 天候:晴れ 天候:晴れ 天候:雨天 天候:晴れ 天候:晴れ 天候:晴れ 天候:晴れ 天候:晴れ 天候:晴れ 天候:晴れ 天候:雨 天候:晴れ 天候:曇り/雨 天候:晴れ															

